

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3189	345/87.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 07:46
L2	382797	(liquid adj crystal adj display) or "LCD"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 07:45
L3	2628	L1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 07:49
L4	4418001	(subtract\$3 or adjust\$4 or modify\$3 or minus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 07:46
L5	223064	pulse near2 (width or interval or length or size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 08:26
L6	825115	synch\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 07:46
L7	43278	L4 and L5 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 07:46
L8	109	L3 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 07:55
L9	22566	("TFT" or (Thin adj film adj transistor) or (Thin-film-transistor) or (thin-film adj transistor) or (thin adj film-transistor)) near3 ("LCD" or (liquid adj crystal adj display))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 07:55

L10	22436	"COG" or (chip adj "on" adj glass) or (chip-on-glass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 07:55
L11	367	345/95.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 08:23
L12	982	345/92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 08:23
L13	30	L12 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 08:24
L16	7577	(pulse near width) and synch\$8 and (subtract\$3 or minus) and start	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 08:27
L17	5	L16 and L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 08:49
L18	1	L16 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 08:49
L19	26	L16 and L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 08:52
L20	343	L16 and "345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 08:53

L21	311	L20 and (NOT (L19 or L13 or L17))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/04 08:53
S1	21756	("TFT" or (Thin adj film adj transistor) or (Thin-film-transistor) or (thin-film adj transistor) or (thin adj film-transistor)) near3 ("LCD" or (liquid adj crystal adj display))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 08:52
S2	110	("LOG" or (log adj on adj glass) or (log-on-glass) or (log-on adj glass) or (log adj on-glass)) near3 ("LCD" or (liquid adj crystal adj display))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 11:52
S3	68478	"345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 09:33
S4	2409	S1 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 09:34
S5	78020	(gate or signal or data or scan) near2 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 09:59
S6	1176	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 09:35
S7	12379	(gate adj off) or (gate adj on) or (gate adj high) or (gate adj low) or gate-off or gate-on or gate-low or gate-high	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 11:52
S8	145	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 09:38

S9	59663	(gate or signal) near2 driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 10:00
S10	143	S4 and S9 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 11:35
S11	360	345/95.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 10:56
S12	22976	carry adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 12:01
S13	1	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 10:57
S14	1294	S9 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 10:58
S15	47	S14 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 10:58
S16	983	345/94.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 09:42
S17	35	S7 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 11:52

S18	82	S12 and (S1 or S2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 12:28
S19	219790	pulse near2 (width or interval or length or size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 12:29
S20	223246	voltage near3 (attenuation or decrease or lessen or less or attenuated or decreased or lessened or attenuating or decreasing or reduced or reducing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 12:29
S21	7988	gate-adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 12:29
S22	371645	(liquid adj crystal adj display) or "LCD"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 12:30
S23	137	S19 and S20 and S21 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 12:30
S24	4	10/430834.app. or 10/392661.app. or 10/945137.app. or 10/690805.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/26 15:56
S25	9655	345/87-100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 10:56
S26	2471	((signal or column or pixel or data) adj voltage) near3 (compensat\$3 or feed-back or feedback or (feed adj back))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 10:59

S27	99	S25 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:20
S28	313529	("on" or "off") with (pixel or gate or element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:20
S29	2862	S25 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:20
S30	440	S29 and (count or counting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:21
S31	56	S28 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 13:35
S32	2	"6232944".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 11:52
S33	38	(gate adj (driver or driving)) near3 glass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:08
S34	22097	"COG" or (chip adj "on" adj glass) or (chip-on-glass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 12:33
S35	371926	(liquid adj crystal adj display) or "LCD"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 12:34

S36	2109	S34 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 12:34
S37	680	S36 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 13:20
S38	530	S36 and (S30 or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 12:35
S39	83	S38 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 13:20
S40	38	L24and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 13:21
S41	553	("No" or lack) near2 PCB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 13:36
S42	5	S41 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 13:36
S43	1228	345/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 13:38
S44	961	345/92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 09:41

S45	193	345/93.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:06
S46	463534	multiplexing or modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:40
S47	1618	S25 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:07
S48	12194	(gate adj (driver or driving))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 16:31
S49	129	S47 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:32
S50	59421	(pulse adj width adj modulation) or "PWM"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 08:17
S51	34	S50 and S48 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:35
S52	215	carry and S48 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 15:11
S53	115463	multiplexing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 15:08

S54	28	S53 and S25 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 14:41
S55	15	multiplexing with S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 15:55
S56	80	carry with S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 15:26
S57	10	(multiplying with (voltage)) and S25 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 15:38
S58	174265	pulse adj (width or interval or size or length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 15:39
S59	160	S25 and S58 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 15:39
S60	22	(multiplexing or mux) with S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 15:56
S61	12381	(gate adj off) or (gate adj on) or (gate adj high) or (gate adj low) or gate-off or gate-on or gate-low or gate-high	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 16:32
S62	920	(S50 or S53 or mux) and (S28 or S61) and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 16:34

S63	65	S62 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 16:09
S64	16990	((gate or address or scanning) adj (driver or driving))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 16:33
S65	41789	((gate or address or scanning) near2 (driver or driving))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 09:17
S66	2051	(S50 or S53 or mux) and (S28 or S61) and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 16:35
S67	173	(S50 or S53 or mux) and (S28 or S61) and S65 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 16:55
S68	65	(S50 or S53 or mux) and (S28 or S61) and (S65 near2 circuit)and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/29 16:56
S69	2	09/150028.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 08:54
S70	48183	((gate or address or scanning or scan or scanner) near2 (driver or driving))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 10:07
S71	9673	345/87-100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 09:18

S72	198925	(pulse adj width adj modulation) or "PWM" or multiplexing or (multiplying with voltage) or "mux"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 09:19
S73	193	345/93.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 09:19
S74	2184229	carry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 09:19
S75	360	345/95.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 09:53
S76	74	S70 and S72 and S71 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 09:54
S77	426	S70 and S72 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 10:46
S78	34	(S70 with S72) and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 10:08
S79	219921	pulse near2 (width or interval or length or size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 11:03
S80	338	(S79 same S70) and "345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 11:04

S81	52	S80 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 11:24
S82	580736	modulation or multiplexer or multiplexing or "mux" or (multiplying with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 11:25
S83	55199	Look-up-table or (look-up adj table) or (look adj up adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 11:25
S84	714	S70 and S82 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 11:27
S85	141	S84 and "345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/08/30 11:27
S86	1	10/621250.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 13:52
S87	1	(sequence near recognition) and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 14:44
S88	1	(carry near3 (signal or generation or unit)) and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 14:51
S89	1	(state near signal) and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 15:16

S90	1	S86 and (control near section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 15:24
S91	1	S86 and (parameter near values)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 16:05
S92	2244	345/204.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 16:05
S93	3866629	carry or ripple or next	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 16:05
S94	1413	S92 and S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 16:05
S95	49	S94 and (gate-off or (gate near off) or (gate near on) or gate-on)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 16:51
S96	116211	(signal or line) near2 patterns	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 16:50
S97	910783	(count or counter) and (number or amount or quantity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 16:51
S98	11974	(gate-off or (gate near off) or (gate near on) or gate-on)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 16:51

S100	208	S97 and S96 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 16:55
S101	13	S100 and "345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 16:56
S102	2595	((number or amount or quantity) near3 gate) near3 (line or driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 16:58
S103	59	S102 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 17:09
S104	5	("6111558").URPN.	USPAT	OR	ON	2005/11/02 17:04
S105	14	S102 and 345/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 17:11
S106	4	S102 and 345/206.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 17:11
S107	6	S102 and 345/208.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 17:11
S108	1	S102 and 345/210.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 17:12
S109	10	S102 and 345/95.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/02 17:12

S110	502	S102 and "345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 07:42
S111	2599	((number or amount or quantity) near3 gate) near3 (line or driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 07:43
S112	503	S111 and "345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 07:43
S113	190	S112 and (count or counting or counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 07:43
S114	60809	(pulse adj width adj modulation) or "PWM"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 08:18
S115	3996	S114 and (synchron\$5) and carry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 08:18
S116	182	S115 and "345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 08:18
S117	982	345/92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 08:31
S118	3189	345/87.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 08:28

S119	915	345/690.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 08:31
S120	22566	("TFT" or (Thin adj film adj transistor) or (Thin-film-transistor) or (thin-film adj transistor) or (thin adj film-transistor)) near3 ("LCD" or (liquid adj crystal adj display))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 08:52
S121	70117	"345".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 08:52
S122	2518	S120 and S121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 08:52
S123	209	S122 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 08:53
S124	1	10/097718.app. and (counter or counting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 09:02
S125	1	10/097718.app. and (counter or counting) and (carry or following or next)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 09:27
S126	1259	345/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 09:27
S127	367	S126 and S120	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 09:28

S128	120	S127 and (counter or counting or count)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 09:38
S129	22436	"COG" or (chip adj "on" adj glass) or (chip-on-glass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 09:38
S130	111	S129 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 09:52
S131	7823	driving and S129	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 09:52
S132	105	S131 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 10:12
S133	4	10/026688.app. or 10/391787.app. or 11/170434.app. or 10/097718.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 10:30
S134	4418001	(subtract\$3 or adjust\$4 or modify\$3 or minus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 11:19
S135	223064	pulse near2 (width or interval or length or size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 11:19
S136	803280	synchron\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 11:34

S137	274	S134 and S126 and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 11:35
S138	3189	345/87.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 11:20
S139	34	S137 and S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 12:30
S140	17	S139 and start	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 11:24
S141	825115	synch\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 11:34
S142	275	S134 and S126 and S141	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 11:42
S143	177	S142 and start	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 11:52
S144	43278	S134 and S135 and S141	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 12:08
S145	115	S144 and S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 12:09

S146	78	S144 and S138 and start	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 12:09
S147	7	S137 and S138 and variables	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/03 12:31
S148	0	("2002/0180675").URPN.	USPAT	OR	ON	2005/11/03 12:55